

REQUEST FOR SERVICES



To schedule an appointment, please call 530-332-6856.

Business Hours: Monday through Thursday, 8 a.m. to 3 p.m. (closed for lunch from 11:30 a.m. to 12:30 p.m.); **Friday, 8 a.m. to 1 p.m.**

Name of Employee/Candidate: _____

Employee/Candidate Job Title:** _____

Appointment Date: _____ Time: _____

Company: _____ Contact Name: _____

Contact Email: _____ Contact Phone: _____

** Employee/Candidate must bring a copy of their job description to the appointment

Please check ALL services requested for the employee/candidate listed above:

DRUG SCREENING SERVICES (Walk-In Service)

- eScreen Rapid Test 4-panel (no THC)
- eScreen Rapid Test 9-panel (no THC)
- eScreen Rapid Test 5-panel
- eScreen Rapid Test 10-panel
- Collection only
(List lab & test #) _____

CONDITIONAL OFFER TESTING (Appointment Required)

- Arduous (lift/transfer/push/pull > 10 pounds)
- Non-Arduous (lift/transfer/push/pull ≤ 10 pounds)

MEDICAL EXAMS (Appointment Required)

- DOT Physical
- Medical Physical Exam
- Respirator Clearance Physical
- Hazardous Materials Exam (*select type below*)
 - Annual
 - Baseline
 - Asbestos
- Other _____

REGULATED DRUG TESTING (Walk-In Service)

- DOT 5-panel
 - Breath Alcohol
- Reason for test _____
- DER _____

OTHER SERVICES

- Audiometry Test
- EKG
- TB Skin Test
- Pulmonary Function Test
- Respirator Fit Test Qualitative (Appointment Required)
- Hepatitis B Injection
- TDAP
- Urinalysis w/micro
- Xray (*select type below*)
 - Chest 1 view
 - Chest 2 view
 - B-Reader
- Lab Panel
 - CBC
 - Chem
 - Lipid
 - Lead
 - Other _____

Important for Your Visit:

- A photo ID is required for all testing.
- Allow one to two hours to complete testing.
- Please wear closed-toe shoes and loose-fitting pants and shorts for conditional testing.
- We are not able to accommodate children during your visit.

ENLOE HEALTH CLIENT SERVICES

888 Lakeside Village Commons – Building A
Chico, CA 95928
530-332-6856 | clientservices@enloe.org



CLIENT SERVICES Building A

Use Prompt Care Entrance

